

AIRBAG MAN LIGHT VEHICLE APPLICATION GUIDE

CURRENT 1st May 2008

IMPORTANT: IF YOUR APPLICATION IS NOT LISTED, PLEASE CALL US.



= No-Drill Airbag Mounts

Kit Colour (RED = Ride-Rite™

Blue = Coil-Rite™

Black = On-Air™

	Year	FRONT KIT	Front Notes	R.R.P. Inc. GST	REAR KIT	Rear Notes	R.R.P. Inc. GST
Chevrolet/GMC SUVs							
Suburban / Yukon/Denali XL -2500 (4x2, 4x4)	00-08				RR 4551		\$825
Suburban 2500 (4x2, 4x4)	92-99				RR 4550		\$825
Chevrolet/GMC Utes							
C & R 10 & 20, 1500, 2500 (4x2 Only)	73-87	CR 5015		\$245	RR 4541	*	\$825
C & K 1500 S'rado, Sierra(4x2, 4x4)(not HD)	99-07				RR 4588	+++	\$825
C-1500, C-2500 (4x2, 4x4)	88-98				RR 4543		\$825
C-2500, Silverado, Sierra(4x2, 4x4)(not HD)	99-05				RR 4544		\$825
C-2500 HD, Silverado, Sierra (4x2, 4x4)	01-08				RR 4547		\$825
C & K -2500 (4x2, 4x4) (Rear Drum Brakes)	88-00				RR 4543		\$825
C-3500 Silverado, Sierra (4x2, 4x4)	01-08				RR 4547		\$825
C-3500 (4x2 Only) Lowered 3"/5" no axle flip	92-00				RR 4578		\$825
C & K 3500 (4x2, 4x4)	88-00				RR 4543		\$825
C-30 (4x2 only)	67-87	CR 5015		\$245	RR 4541	*	\$825
Dodge Utes							
Ram 2500, Ram 3500 (4x2, 4x4)	03-08				RR 4552		\$825
D & W 200, 250, Ram 2500 (4x2, 4x4)	69-02				RR 4541	*	\$825
D & W 300, 350, Ram 3500 (4x2, 4x4)	69-02				RR 4541	*	\$825
Fiat Vans							
Ducato - All Styles	88-93				RR 4553		\$825
Ducato - Cab Chassis X244	94-05				RR 4554		\$825
Ducato - Van X244	94-05				RR 4586		\$825
Ducato - Van, C/Chassis X250	06-08				RR 4605		\$990
Ford Australia Cars/SUVs							
Falcon Wagon	72-08				RR 4564		\$825
Territory	04-08				CR 5013		\$295
Territory Lowered 2"	02-08				CR 5008		\$295
Falcon Sedan BA-BF (incl. XR)	02-08				CR 5008		\$295
Falcon Sedan BA-BF (incl. XR) Lowered 2-5"	02-08				CR 5068		\$295
Maverick - see Nissan Patrol GQ	88-97				-		
Explorer	96-99				RR 4568		\$825
Escape	00-08				CR 5014		\$295

DO NOT EXCEED THE 'VEHICLE'S LEGAL GROSS VEHICLE MASS RATING (GVM) OR AXLE CAPACITIES

Some vehicles may require certification for legal fitment of Airbag Man air spring products, please check with regulatory authorities regarding this before purchase or fitment of Airbag Man air spring kits.

Tyre to Chassis Clearance Requirements: * = 190mm (7.5") +++ = 150mm (6") *** = 245mm (9.5")

Notes: + = Torsion Bars may require adjustment

AIRBAG MAN LIGHT VEHICLE APPLICATION GUIDE

CURRENT 1st May 2008

IMPORTANT: IF YOUR APPLICATION IS NOT LISTED, PLEASE CALL US.



= No-Drill Airbag Mounts

Kit Colour (RED = Ride-Rite™

Blue = Coil-Rite™

Black = On-Air™

	Year	FRONT KIT	Front Notes	R.R.P. Inc. GST	REAR KIT	Rear Notes	R.R.P. Inc. GST
Ford Australia Utes/Commercial							
Courier PC-PE (4x2 excl. 4.0L V6)	89-06				RR 4598		\$825
Courier PC-PE (4x4 c/w Diesel or 4cyl Petrol)	89-06				RR 4567		\$825
Courier (4x2 & 4x4 with 4.0L V6)	05-06				RR 4585		\$825
Ranger 4x2 with 2.5L TD	06-08				RR 4607		\$825
Ranger 4x2 HighRider & 4x4 with 3.0L TD	06-08				RR 4596		\$825
Falcon Ute	69-08				RR 4564		\$825
Falcon RTV Ute AU-BF	04-08				RR 4597		\$825
Raider (4x4)	91-96				RR 4567		\$825
Transit VH Round Axle Single Wheels	00-06				RR 4561		\$1650
Transit Front Wheel Drive, Type 260-300	04-07				RR 4608		\$1375
Transit Front Wheel Drive, Type 330-350	04-07				RR 4609		\$1375
Transit Rear Wheel Drive, Round Rear Axle	04-07				RR 4601		\$1375
Transit Round Axle Dual Rear Wheels	00-07				RR 4562		\$1375
F-100, Bronco (4x2, 4x4)	68-90	CR 5020		\$295	RR 4541	*	\$825
F-150 (4x2, 4x4)	68-90	CR 5019		\$295	RR 4541	*	\$825
F-250 (4x2 only)	00-07	CR 5019		\$295	RR 4580		\$825
F-250 (4x4 only)	00-06	RR 4557		\$825	RR 4566		\$825
F-350 (4x2 only) straight rail, c/chassis	00-07	CR 5019		\$295	RR 4556		\$825
F-350 (4x4 only) straight rail, c/chassis	00-06	RR 4557		\$825	RR 4556		\$825
F-350 (4x2 only) stepped rail, no sway bar	00-07	CR 5019		\$295	RR 4580		\$825
F-350 (4x4 only) stepped rail, no sway bar	00-06	RR 4557		\$825	RR 4566		\$825
Ford USA Utes (Factory bed unless stated)							
F-100 (4x2, 4x4)	68-79	CR 5020		\$295	RR 4541	*	\$825
F-150 (4x2, 4x4)	04-08				RR 4587		\$825
F-150 (4x2, 4x4)	97-04				RR 4555		\$825
F-150 (4x2, 4x4)	68-96	CR 5019		\$295	RR 4541	*	\$825
F-250 HD (4x2 only)	84-04	CR 5019		\$295	RR 4541	*	\$825
F-350 (4x2 only)	70-04	CR 5019		\$295	RR 4541	*	\$825
F-350 (4x4 only)	84-04	RR 4557		\$825	RR 4541	*	\$825
F-350 (4x4 only)	73-83				RR 4541	*	\$825

DO NOT EXCEED THE 'VEHICLE'S LEGAL GROSS VEHICLE MASS RATING (GVM) OR AXLE CAPACITIES

Some vehicles may require certification for legal fitment of Airbag Man air spring products, please check with regulatory authorities regarding this before purchase or fitment of Airbag Man air spring kits.

Tyre to Chassis Clearance Requirements: * = 190mm (7.5") +++ = 150mm (6") *** = 245mm (9.5")

Notes: + = Torsion Bars may require adjustment

AIRBAG MAN LIGHT VEHICLE APPLICATION GUIDE

CURRENT 1st May 2008

IMPORTANT: IF YOUR APPLICATION IS NOT LISTED, PLEASE CALL US.



= No-Drill Airbag Mounts

Kit Colour (RED = Ride-Rite™

Blue = Coil-Rite™

Black = On-Air™

	Year	FRONT KIT	Front Notes	R.R.P. Inc. GST	REAR KIT	Rear Notes	R.R.P. Inc. GST
Holden Cars/SUVs							
Adventra	03-07				CR 5001		\$295
C'dore, Monaro VR to VZ (IRS) - Full Air Conv.	93-07				OA 6000		\$1375
Commodore VR to VZ (IRS) (std. height)	93-07				CR 5001		\$295
Commodore VR to VZ (IRS) 2-3" lowered	93-07				CR 5029		\$295
Commodore VB to VS (live axle)	78-98				CR 5015		\$245
Caprice / Statesman (IRS) - Full Air Conv.	90-06				OA 6000		\$1375
Caprice / Statesman (IRS) (std. height)	90-06				CR 5001		\$295
Caprice / Statesman (IRS) 2-3" lowered	90-06				CR 5029		\$295
Jackaroo	91-05				CR 5022		\$295
Jackaroo	82-91				RR 4598		\$825
Frontera	96-03				CR 5011		\$245
Holden Utes							
Rodeo RA on (4x2 V6, 4x4)	03-07				RR 4527	+	\$825
Rodeo RA on (4x2 NOT V6)	03-07				RR 4599	+	\$825
Rodeo (4x2, 4x4)	81-02				RR 4599	+	\$825
Commodore VU to VZ (IRS) - Full Air Conv.	01-07				OA 6000		\$1375
Commodore VU to VZ (IRS) (std. height)	01-07				CR 5001		\$295
Commodore VU to VZ (IRS) 2-3" lowered	01-07				CR 5029		\$295
Commodore VS (live axle)	95-00				CR 5015		\$245
New One Tonner (4x2)	03-05				RR 4529		\$825
Old One Tonner (4x2)	71-85				RR 4598		\$825
Crewman, Cross8, Cross6 (4x2, 4x4)	03-07				RR 4529		\$825
Honda Vans							
Odyssey	99-08				CR 5023		\$345
Odyssey	96-98				CR 5024		\$345
HSV Car/SUVs							
All VR to VZ (With Holden IRS) - Full Air Conv.	93-07				OA 6000		\$1375
Coupe / GTO (4x2, 4x4) - Full Air Conversion	01-07				OA 6000		\$1375
HSV Utes							
Avalanche XUV (4x4)	04-07				RR 4529		\$825
Maloo, Maloo R8 - Full Air Conversion	01-07				OA 6000		\$1375
Hyundai SUVs							
Santa-Fe	00-07				CR 5010		\$245
Santa-Fe	07-08				CR 5062		\$325
Terracan	01-07				CR 5000		\$295
Iveco Trucks							
Daily 35C - 50C All Models	07-08				RR 4604		\$1650
Daily 35S-9, 11, 13	00-06				RR 4592		\$1650
Daily 35C, 40C 50C (11-13) (With ABS only)	00-06				RR 4563		\$2300

DO NOT EXCEED THE VEHICLE'S LEGAL GROSS VEHICLE MASS RATING (GVM) OR AXLE CAPACITIES

Tyre to Chassis Clearance Requirements: * = 190mm (7.5") +++ = 150mm (6") *** = 245mm (9.5")

Notes: + = Torsion Bars may require adjustment

AIRBAG MAN LIGHT VEHICLE APPLICATION GUIDE

CURRENT 1st May 2008

IMPORTANT: IF YOUR APPLICATION IS NOT LISTED, PLEASE CALL US.



= No-Drill Airbag Mounts

Kit Colour (RED = Ride-Rite™

Blue = Coil-Rite™

Black = On-Air™

	Year	FRONT KIT	Front Notes	R.R.P. Inc. GST	REAR KIT	Rear Notes	R.R.P. Inc. GST
Jeep SUVs							
Commander (4x2, 4x4)	06-08				CR 5044		\$295
Grand Cherokee	05-08				CR 5044		\$295
Grand Cherokee (excl. fact. raised models)	92-98				CR 5025		\$295
Cherokee	02-08				CR 5009		\$295
Wrangler incl. Unlimited	07-08				CR 5063		\$295
Wrangler Rubicon incl. Unlimited	07-08				CR 5064		\$295
Wrangler	97-07				CR 5044		\$295
Kia VAN / SUVs							
Carnival VQ	06-08				CR 5023		\$345
Sorento	04-08				CR 5056		\$295
Landrover SUVs							
Discovery Series 1 & 2 (with rear coils)	90-04				CR 5026		\$345
Range Rover (with rear coils)	70-96				CR 5026		\$345
Disco. Series 1 & 2 (with rear coils) +2" Raise	90-04				CR 5027		\$345
Range Rover (with rear coils) +2" Raise	70-96				CR 5027		\$345
Defender 90	84-08				CR 5026		\$345
Defender 110	83-08				CR 5028	Light Duty	\$345
Defender 110	83-08				OA 4515	Heavy Duty	\$1375
Landrover Utes							
Defender 130 (requires inner coil removal)	90-08				CR 5028	Light Duty	\$345
Defender 130	90-08				OA 4515	Heavy Duty	\$1375
Lexus SUVs							
LX450, LX 470 non AHC	98-03				OA 6005	Heavy Duty	\$1375
LX450 & 470 fitted with AHC, add cab control kit, call Airbag Man							
Mazda Cars/SUVs							
Mazda6	06-08				CR 5065		\$345
Tribute	01-08				CR 5014		\$295
Mazda Utes							
Bravo (4x2 excl. 4.0L V6)	89-06				RR 4598		\$825
Bravo (4x4 with Diesel or 4cyl Petrol)	89-06				RR 4567		\$825
Bravo (4x2 & 4x4 with 4.0L V6)	05-07				RR 4585		\$825
BT-50 4x2 with 2.5L TD	06-08				RR 4607		\$825
BT-50 4x2 HighRider & 4x4 with 3.0L TD	06-08				RR 4596		\$825

DO NOT EXCEED THE 'VEHICLE'S LEGAL GROSS VEHICLE MASS RATING (GVM) OR AXLE CAPACITIES
 Some vehicles may require certification for legal fitment of Airbag Man air spring products, please check with regulatory authorities regarding this before purchase or fitment of Airbag Man air spring kits.

AIRBAG MAN LIGHT VEHICLE APPLICATION GUIDE

CURRENT 1st May 2008

IMPORTANT: IF YOUR APPLICATION IS NOT LISTED, PLEASE CALL US.



= No-Drill Airbag Mounts

Kit Colour (RED = Ride-Rite™

Blue = Coil-Rite™

Black = On-Air™

	Year	FRONT KIT	Front Notes	R.R.P. Inc. GST	REAR KIT	Rear Notes	R.R.P. Inc. GST
Mercedes Benz Commercial							
Vito Van	96-04				OA 6001		\$1100
Vito Van	05-08				OA 6009		\$1375
Sprinter Van 200 and 300 Series	96-06				RR 4559		\$825
Sprinter Van 400 Series	96-06				RR 4571		\$2150
Sprinter Cab/Chassis 400 Series	96-06				RR 4572		\$2150
Sprinter Van & Cab/Chassis 300 Series	06-08	Flat Shock Bracket			RR 4602		\$990
Sprinter Van & Cab/Chassis 300 Series	06-08	Angled Shock Bracket			RR 4603		\$990
Sprinter Cab/Chassis 515/518	06-08				RR 4595		\$2150
Mitsubishi Cars/SUVs							
Pajero NA-NJ	83-94				RR 4598		\$825
Pajero NH-NL	90-99				CR 5031		\$295
Pajero NM, NP & NS	00-08				CR 5002		\$345
Challenger	98-07				CR 5007		\$345
L400 Delica 4x4 (Space Gear)	94-98				CR 5057		\$345
Magna Wagon	92-05				CR 5053		\$295
Mitsubishi Utes							
Triton 4x2, 4x4 ML	06-08				RR 4593		\$825
Triton (4x2 excl. V6)	69-07				RR 4598		\$825
Triton (4x2 V6 & 4x4 only) Leaf Under Axle	96-07				RR 4524		\$825
Triton (4x4 only) Leaf Over Axle	-95				RR 4521		\$825
Nissan SUVs							
Murano	05-08				CR 5058		\$345
X-Trail and Dualis	08				CR 5070		\$345
Pathfinder	87-95				CR 5022		\$295
Pathfinder	96-04				CR 5003		\$295
Pathfinder R51	05-08				CR 5046		\$295
Patrol GU	98-08	CR 5006		\$325	CR 5040		\$325
Patrol GU + 50mm (2") Raise	98-08				CR 5042		\$345
Patrol GU Full Air 1-2" RAISE	98-08	OA 4513		\$1375	OA 4512		\$1375
Patrol GQ	88-97	CR 5006		\$325	CR 5040		\$325
Patrol GQ + 50mm (2") Raise	88-97				CR 5042		\$345
Patrol GQ - Full Air 1-2" RAISE	88-97	OA 4513		\$1375	OA 4512		\$1375
Patrol MQ Leaf Rear	80-87				RR 4581		\$825
Terrano II (Import)	92-01				CR 5022		\$295

DO NOT EXCEED THE 'VEHICLE'S LEGAL GROSS VEHICLE MASS RATING (GVM) OR AXLE CAPACITIES
 Some vehicles may require certification for legal fitment of Airbag Man air spring products, please check with regulatory authorities regarding this before purchase or fitment of Airbag Man air spring kits.

AIRBAG MAN LIGHT VEHICLE APPLICATION GUIDE

CURRENT 1st May 2008

IMPORTANT: IF YOUR APPLICATION IS NOT LISTED, PLEASE CALL US.



= No-Drill Airbag Mounts

Kit Colour (RED = Ride-Rite™

Blue = Coil-Rite™

Black = On-Air™

	Year	FRONT KIT	Front Notes	R.R.P. Inc. GST	REAR KIT	Rear Notes	R.R.P. Inc. GST
Nissan Utes							
Navara (4x2 Only)	86-08				RR 4577	+	\$825
Navara (4x4 Only) D21 & D22	86-08				RR 4575		\$825
Navara (4x4, 4x2) D40 Double Cab	06-08				RR 4584		\$825
Patrol GU Leaf Rear	98-08	OA 4513		\$1375	RR 4516		\$825
Patrol GU/GQ Coil Rear (light loads only)	88-08	CR 5006		\$325	CR 5040		\$325
Patrol GU Coil Rear - Full Air 1-2" RAISE	98-08	OA 4513		\$1375	OA 4523		\$1375
Patrol GQ Leaf Rear	88-97				RR 4537		\$825
Patrol GQ Coil Rear - Full Air 1-2" RAISE	88-97	OA 4513		\$1375	OA 4523		\$1375
Patrol MQ Leaf Rear	80-87				RR 4581		\$825
Renault Commercial							
Master X70	98-08				RR 4606		\$990
Traffic X83	05-08				CR 5067		\$345
Traffic X83 Full Air Conv. (Includes Shocks)	05-08				OA 6008		P.O.A.
Ssangyong SUVs							
Rexton / Acton Ute	02-08				CR 5032		\$295
Kyron	06-08				CR 5061		\$295
Musso Sports	04-06				CR 5022		\$295
Musso Wagon	92-06				CR 5021		\$295
Toyota Cars/SUVs							
Landcruiser 200 Series (w/out AHC)	07-08				CR 5080		\$295
Landcruiser 200 Series + 2" Raise (GXL TD)	07-08				CR 5082		\$295
Landcruiser 100 Series (w/out AHC)	98-07	CR 5006	Live Axle	\$325	CR 5050		\$295
Landcruiser 100 Series + 50mm (2") Raise	98-07				CR 5052		\$295
Landcruiser 100 Series (OA4525 Excl. IFS)	98-07	OA 4525		\$1375	OA 6003		\$1375
L'Cruiser 100 OA6003 & REAR HELPER SPRINGS PREVIOUSLY FITTED, ADD 1 x					OA 6004	Weld	\$75
100 Series IFS std (lowers rear of vehicle)	98-07		1-2" Lower than std.		OA 6005		\$1375
100 Series Sahara late '05 on fitted with AHC, add cab control kit, call Airbag Man.							
Landcruiser 80 Series	91-98	CR 5006		\$325	CR 5049		\$295
Landcruiser 80 Series + 50mm (2") Raise	91-98				CR 5051		\$295
Landcruiser 80 Series - Full Air Conversion	91-98	OA 4525		\$1375	OA 6003	Full Air	\$1375
L'Cruiser 80 OA6003 & REAR HELPER SPRINGS PREVIOUSLY FITTED, ADD 1 x					OA 6004	Weld	\$75
Landcruiser 60 Series (w/o Factory d/lock)	81-90				RR 4522		\$825
Prado 120 (With rear coil springs)	03-08				CR 5035		\$295
Prado 120 2" lift (With rear coil springs)	03-08				CR 5034		\$295
Prado 120 2" lift (With rear coil springs)	03-08				OA 6010		\$1200
Prado 90	96-03				CR 5004		\$295
4-Runner (Surf)	98-08				CR 5036		\$295
4-Runner (Surf)	96-97				CR 5037		\$295
4-Runner (Surf)	90-95				CR 5038		\$295
4-Runner (Surf)	-89				RR 4531		\$825

Tyre to Chassis Clearance Requirements: * = 190mm (7.5") +++ = 150mm (6") *** = 245mm (9.5")

Notes: + = Torsion Bars may require adjustment

AIRBAG MAN LIGHT VEHICLE APPLICATION GUIDE

CURRENT 1st May 2008

IMPORTANT: IF YOUR APPLICATION IS NOT LISTED, PLEASE CALL US.



= No-Drill Airbag Mounts

Kit Colour (RED = Ride-Rite™

Blue = Coil-Rite™

Black = On-Air™

	Year	FRONT KIT	Front Notes	R.R.P. Inc. GST	REAR KIT	Rear Notes	R.R.P. Inc. GST
Toyota Cars/SUVs Continued							
Rav4	07-08				CR 5066		\$295
Rav4	96-05				CR 5055		\$245
Tarago	00-05				CR 5059		\$345
Tarago	06-				CR 5060		\$345
Yaris	07-08				CR 5053		\$295
Echo	01-05				CR 5025		\$295

DO NOT EXCEED THE 'VEHICLE'S LEGAL GROSS VEHICLE MASS RATING (GVM) OR AXLE CAPACITIES

Some vehicles may require certification for legal fitment of Airbag Man air spring products, please check with regulatory authorities regarding this before purchase or fitment of Airbag Man air spring kits.

Toyota Utes

Landcruiser LC70, 78, 79 Series	99-08	CR 5005	Req. Fab	\$325	RR 4500		\$825
L'cruiser LC70 GX, GXL; 78, 79 Series RV	99-08				RR 4503		\$825
L'cruiser LC70, 75, 78, 79 Series 2" Raise	85-08				RR 4502		\$825
L'cruiser LC70 GX, GXL; 78, 79 RV 2" Raise	85-08				RR 4504		\$825
Landcruiser 75 Series MK2	91-99	RR 4501		\$825	RR 4500		\$825
L'cruiser 75 Series MK1, 70, 73 Series	85-90				RR 4500		\$825
Landcruiser 40-55 Series	59-84				CALL	Req. Fab	
HiLux (4x2 Only)	03/05-08				RR 4600	+	\$825
HiLux (4x2 Only) (Straight axle)	84-04				RR 4531	+	\$825
HiLux (4x2 Only) (Stepped axle)	84-04				RR 4574	+	\$825
HiLux (4x4 Only)	03/05-08				RR 4576		\$825
HiLux (4x4 Only)	84-04				RR 4560	+	\$825

Volkswagen Commercial

T-4, Transporter, Caravelle, Euro Van	85-04				CR 5039		\$295
T-4, Transporter, Caravelle, Euro Van	96-04				OA 6022	Full Air	\$2150
T-5 Van (4x2, 4x4)	05-08				OA 6006	Full Air	\$2730
T-5 Cab-chassis (4x2, 4x4)	05-08				OA 6007	Full Air	\$2730
Caddy	05-08				RR 4610		\$825
Crafter range - See MB Sprinter 07 (Crafter 35 = 300 Series, Crafter 50 = 500 Series)							
LT range see Mercedes Benz (LT35 = 300 series, LT 46 = 400 series)							

DO NOT EXCEED THE 'VEHICLE'S LEGAL GROSS VEHICLE MASS RATING (GVM) OR AXLE CAPACITIES

Some vehicles may require certification for legal fitment of Airbag Man air spring products, please check with regulatory authorities regarding this before purchase or fitment of Airbag Man air spring kits.



Note: Airbag Man and Firestone have made every attempt to assure that the air helper spring kits listed will properly fit. Chassis modifications made by others that effect suspension dimensions may not provide conditions for proper fit. Due to new model introductions and manufacturer changes, Airbag Man reserves the right to make changes to the list without notification.

Note: Some manufacturers use brake proportioning valves to adjust braking force as a function of chassis to axle distance. If you modify your suspension it effects the function of this valve. We suggest that you check with your dealer on proper treatment of this device prior to installation of air spring kits.

Tyre to Chassis Clearance Requirements: * = 190mm (7.5") +++ = 150mm (6") *** = 245mm (9.5")

Notes: + = Torsion Bars may require adjustment

AIRBAG MAN LIGHT VEHICLE APPLICATION GUIDE

CURRENT 1st May 08

MOST POPULAR KITS SHOWN IN BOLD

Part Number	TYPE	DESCRIPTION	R.R.P. Incl. G.S.T.
Control + Compressor Kits			
AC 1150	Compl. Control	Single, standard duty compressor, direct inflation, remote controlled	\$695
AC 1160	Compl. Control	Single, standard duty compressor, direct inflation, height sensor controlled	\$1200
AC 1200	Compl. Control	Dual cab controller, standard duty compressor, direct inflation	\$795
AC 1251	Compl. Control	1253 Style, add to compressor w/ out pressure switch, incl. 2 gallon tank	\$795
AC 1252	Compl. Control	1253 Style, for compressors with own pressure switch, incl. 2 gallon tank	\$695
AC 1253	Compl. Control	Dual cab controller, heavy duty compressor, 3 gallon air tank, tyre inflation wand	\$1300
AC 1300	Compl. Control	Intelliride 3 height, 4 corner, electronic height control	P.O.A.
Control Kits			
AC 3100	Air Monitor	Single Black gauge, provides pressure monitoring in cab - Use with separate air control	\$95
AC 3102	Air Adjust	Single Manual, paddle switch, single needle white gauge - Use with any comp. kit	\$225
AC 3110	Air Adjust	Single Automatic, slow flow height control valves, linkages - Use with HD comp. kit	\$245
AC 3120	Air Adjust	Single Manual, electric paddle switch, single gauge black - Use with any Compressor	\$225
AC 3200	Air Monitor	Dual white gauge, provides pressure monitoring in cab - Use with separate air control	\$175
AC 3202	Air Adjust	Dual Manual, two paddle switches, dual needle white gauge - Use with any comp. kit	\$525
AC 3210	Air Adjust	Dual Automatic, slow flow height control valves, linkages - Use with HD Compressor kit	\$495
AC 3220	Air Adjust	Dual Manual, two electric paddle switches, dual gauge black - Use with any comp.	\$525
AC 3400	Air Adjust	Quad Manual, 4 paddle switches, 2 dual needle white gauge - Use with any comp. kit	\$795
	Solenoids	2, 3, 4 Corner Solenoid systems and Cross link systems available	P.O.A.
Compressor Kits			
AC 4024	Air Supply Kit	24Volt HD (Heavy Duty) air comp. (8104) kit, 3 g tank, truck air supply	\$895
AC 4100	Air Supply Kit	HD (Heavy Duty) air comp. (8107) kit, 3 g tank, tyre infl. hose, infl. wand incl. gauge	\$795
Control Parts			
AC 7100	Gauge	Single needle gauge, white face	\$50
AC 7102	Levelling Valve	Replacement levelling valve for AC3110 and AC3210	\$220
FAC 7103	Control Switch	Air control paddle switch, to suit 1/4" tubing	\$85
AC 7108	Gauge	2.5" dial gauge, screw on connection	\$40
AC 7200	Gauge	Dual needle gauge, white face	\$90
FAC 7300	Brass Fitting	Inflation valve, to suit 1/4" tubing, 5/16" brass nut	\$15
FAC 7301	Brass Fitting	Compressor Tee, suit 1/4" tubing, 1 x 1/8 NPT male, 1 x 1/8 NPT female	\$22
FAC 7302	Brass Fitting	Barbed tee, to suit 1/4" tubing	\$5
FAC 7303	Brass Fitting	Barbed elbow, to suit 1/4" tubing, 1/8 NPT female	\$12
AC 7401	Inflation Coil	Inflation wand assembly, 25 foot, from AC4100 / AC1253 kit	\$99
AC 7403	Pressure Switch	Pressure switch, 90 psi cut in, 120-130 psi cut out	\$25
AC 7404	Pressure Switch	Pressure switch, 100 psi cut in, 150 psi cut out	\$69
AC 7406	Pressure Switch	Pressure switch, adjustable to suit Pmax of 50 to 175 psi	\$95

Bare Compressors - 12v							
Part Number	Max. Air Pressure	Description	Duty Cycle	Amp. Draw	CFM @ 60 psi	CFM @ 100 psi	R.R.P. Incl. G.S.T.
AC 8001	130 psi (9.0 bar)	Standard Duty (Up to 1 gallon air tank)	15%	18 Amps	0.64	0.57	\$275
AC 8100	145 psi (10.0 bar)	Heavy Duty (Up to 3 gallon air tank)	35%	17 Amps	0.73	0.57	\$525
AC 8102	150 psi (10.0 bar)	Heavy Duty (Up to 3 gallon air tank)	35%	18 Amps	0.77	0.62	\$625
AC 8104	150 psi (10.0 bar)	24v Heavy Duty (Up to 3 gallon air tank)	35%	9 Amps	0.73	0.57	\$595
AC 8107	130 psi (10.0 bar)	Heavy Duty (Up to 3 gallon air tank)	35%	17 Amps	0.92	0.74	\$525
Air Tanks - Tested and Certified to SAE J10							
Part Number	Capacity in Gallons	Number and Size of Ports	Mount Centres	Length	Dia.	Drain	R.R.P. Incl. G.S.T.
AC 9014	1/4 Gallon	Two 1/4 NPT Ports	-	6"	4"	NO	\$115
AC 9012	1/2 Gallon	Two 1/4 NPT Ports	-	7.63"	6"	NO	\$110
AC 9010	1 Gallon	Two 1/4 NPT Ports	-	12"	6"	NO	\$125
AC 9020	2 Gallon	Two 1/4 NPT Ports	7.25"	14.5"	6"	NO	\$125
AC 9030	3 Gallon	Two 1/4 NPT Ports	13"	20.75"	7"	NO	\$145
AC 9031	3 Gallon	Three 1/4 NPT Ports	12"	20.75"	7"	YES	\$150
AC 9050	5 Gallon	Two 1/4 NPT Ports	14"	20.75"	9.5"	NO	\$170
AC 9051	5 Gallon	2 end + 4 side 1/2 ports, 1x 1/4 NPT port	21.75"	34"	7"	YES	\$200
AC 9052	5 Gallon	5 end 1/8 & 1/4 ports + 4 side 1/2 ports	14"	20.75"	9.5"	NO	\$200
AC 9120	20 Gallon	2 end + 4 side 1/2 ports, 1x 1/4 NPT port	30.75"	44"	12"	YES	\$340
Air Fittings and Accessories							
Part Number	Description	R.R.P. Incl. G.S.T.	Part Number	Description	R.R.P. Incl. G.S.T.		
CCT200 p/100	Cable Tie 200mm	\$ 25.00	FN07 per m, min 4m	6mm tube protector	\$ 2.00		
F2401 (BSP)	Red. bush 1/4x1/8	\$ 2.50	FN1104/10 10m roll	1/4" nylon tube black	\$ 30.00		
F2408 (BSP)	Red. bush 3/4x1/4	\$ 9.50	FN1106 10m roll	3/8" nylon tube black	\$ 45.00		
F2601 (BSP)	Hex. socket 1/8	\$ 2.00	FQF1403	Tee 1/4" PTC	\$ 10.00		
F2602 (BSP)	Hex. socket 1/4	\$ 4.00	FQF1405	Tee 3/8" PTC	\$ 25.00		
F2701 (BSP)	Hex. nipple 1/8	\$ 3.50	FQF304B	Straight 1/4 x 1/8 NPT	\$ 6.50		
F2702 (BSP)	Hex. nipple 1/4	\$ 5.00	FQF305	Straight 1/4 x 1/4	\$ 10.00		
F3501MRT	Male Run Tee 1/8	\$ 15.00	FQF312	Straight 3/8 x 1/4	\$ 15.00		
F3502MRT	Male Run Tee 1/4	\$ 17.00	FQF403	Joiner 1/4 tube	\$ 12.00		
F6401S	Plug 1/8 BSP	\$ 2.00	FQF504	Elbow 1/4 x 1/8 BSP	\$ 12.00		
F6402	Plug 1/4 BSPT	\$ 3.00	FQF505	Elbow 1/4 x 1/4	\$ 12.00		
FDV1421	Drain c/w cable	\$ 33.00	FQF512	Elbow 3/8 x 1/4	\$ 20.00		
FN2401 (NPT)	Red. bush 1/4x1/8	\$ 3.75	FQFP07	Plug 1/4 PTC	\$ 10.00		
FN2409 (NPT)	Red. bush 3/4x3/8	\$ 12.50	FQFP11	Plug 3/8 PTC	\$ 10.00		
FN2701 (NPT)	Hex. nipple 1/8	\$ 3.50	FQFR04-06	Reducer 1/4 x 3/8	\$ 15.00		
FN2702 (NPT)	Hex. nipple 1/4	\$ 5.00	FNM1106 per 10m	6mm nylon tube black	\$ 30.00		
FN3501MRT	Male Run Tee 1/8	\$ 15.00	FQFM1403	Tee 6mm PTC	\$ 12.00		
FN3502MRT	Male Run Tee 1/4	\$ 17.00	FQFM305	Straight 6mm x 1/4	\$ 10.00		
VMBP02	Panel Mt Ball Valve	\$ 35.00	VCV1AB	Inlet Check valve 1/8	\$ 24.00		

MANY OTHER AIR FITTINGS ARE AVAILABLE - PLEASE CALL AIRBAG MAN FOR A FULL LISTING

1800 AIR BAG (1800 247 224)

AIRBAG MAN AIR SPRING GUIDE

CURRENT 1st May 2008

PART NUMBER	TYPE	Port Size	Min Height	Ride Height	Max. Height	Max. Dia. @100psi	Max. Load @100psi
Air Springs							
Heights all in millimeters, Divide by 25.4 for inches							
AB0011	Rangie P38 Front Assy.	6mm	130	236	364	165	900 Kg
AB0012	Rangie P38 Rear Assy.	6mm	140	260	406	169	800 Kg
AB0014	BB4525 Air Spring Assy.	1/4 BSP	150	255	420	169	1050 Kg
AB0015	Discovery 2 Rear Assy.	6mm	170	272	400	170	800 Kg
AB 0020	R3.1 1/8 Firestone Assy.	1/8 NPT	92	127-146	229	79 @80	170 Kg
AB 0022	R4.5 1/8 Firestone Assy.	1/8 NPT	61	102-114	178	114 @80	370 Kg
AB 0024	R4 1/8 Firestone Assy.	1/8 NPT	146	178-229	305	102 @80	368 Kg
AB 0025	R5 1/8 Firestone Assy.	1/8 NPT	127	184-222	330	127	455 Kg
AB 0030	R5.7L 1/4 Firestone Assy.	1/4 NPT	169	184-222	260	145	520 Kg
AB 0031	R5.7S 1/4 Firestone Assy.	1/4 NPT	111	149-171	216	145	520 Kg
AB 0032	R5.7M 1/4 Firestone Assy.	1/4 NPT	134	171-191	235	145	520 Kg
AB 0050	R9S 1/4 Firestone Assy.	1/4 NPT	137	241	349	231	1470 Kg
AB 0051	R9M 1/4 Firestone Assy.	1/4 NPT	163	267	400	231	1470 Kg
AB 0053	R9L 1/4 Firestone Assy.	1/4 NPT	178	353	546	228	1470 Kg
AB 0054	R5 1/4 Firestone Assy.	1/4 NPT	153	267	381	127	350 Kg
AB 0055	R6.8 1/4 Firestone Assy.	1/4 NPT	160	330	457	173	720 Kg

TECH TIPS

Use heat shields for air springs less than 3" from exhaust systems.

Maintain a minimum of 13mm (1/2") of clearance around the air spring while inflated.

Ride Height is defined as the drive position of the vehicle.

Larger port sizes are offered for faster response time.

Maximum operating pressure is 100 PSI

**Air Inlet Hole Size Guide
(Internal Measurement)**

1/8 NPT = 0.33" = 8.5mm

1/4 NPT = 0.46" = 11.5mm

3/8 NPT = 0.58" = 15mm

1/2 NPT = 0.72" = 18mm

3/4 NPT = 0.92" = 23mm

Firestone**World's Number 1
Air Spring.**

FIRESTONE INDUSTRIAL PRODUCTS COMPANY

AIRBAG MAN AIR SPRING GUIDE

CURRENT 1st May 2008

PART NUMBER	TYPE	Port Size	Min Height	Ride Height	Max. Height	Max. Dia. @100psi	Max. Load @100psi
Air Springs							
Heights all in millimeters, Divide by 25.4 for inches							
AB 0100	S7.20 1/8 Firestone Assy.	1/4 NPT	76	127	165	183	800 Kg
AB 0101	S7.2 1/4 Firestone Assy.	1/4 NPT	76	127	165	183	800 Kg
AB 0102	S9.2 1/4 Firestone Assy.	1/4 NPT	54	127	191	224	1070 Kg
AB 0103	S10.1 1/4 Firestone Assy.	1/4 NPT	76	102	152	255	1370 Kg
AB 0110	D6.4 1/4 Firestone Assy.	1/4 NPT	71	114	178	263	625 Kg
AB 0111	D6.4 3/8 Firestone Assy.	3/8 NPT	71	114	178	263	625 Kg
AB 0112	D6.4 3/8 Firestone Assy.	3/8 NPT	71	114	178	263	625 Kg
AB 0113	D6.4 1/4 Firestone Assy.	1/4 NPT	71	114	178	263	625 Kg
AB 0120	D6.6 1/8 Firestone Assy.	1/4 NPT	71	140	211	168	752 Kg
AB 0121	D6.6 1/4 Firestone Assy.	1/4 NPT	71	140	211	168	752 Kg
AB 0123	D6.6 3/8 Firestone Assy.	3/8 NPT	71	140	211	168	752 Kg
AB 0124	D6.6 3/4 Firestone Assy.	3/4 NPT	71	140	211	168	752 Kg
AB 0125	D6.6 1/4 Firestone Assy.	1/4 NPT	71	140	211	168	752 Kg
AB 0126	D6.6 1/2 Firestone Assy.	2x1/2 NPT	71	140	211	168	752 Kg
AB 0127	D6.6 1/2 Firestone Assy.	1/2 NPT	71	140	211	168	752 Kg
AB 0130	D8 1/4 Firestone Assy.	1/4 NPT	71	152	222	203	970 Kg
AB 0131	D8 1/4 Firestone Assy.	1/8 NPT	71	152	222	203	970 Kg
AB 0132	D8 1/2 Firestone Assy.	2x1/2 NPT	71	152	222	203	970 Kg
AB 0133	D8 3/8 Firestone Assy.	3/8 NPT	71	152	222	203	970 Kg
AB 0134	D8 3/8 Firestone Assy.	3/8 NPT	71	152	222	203	970 Kg
AB 0135	D8 1/4 Firestone Assy.	1/4 NPT	71	152	222	203	970 Kg
AB 0136	D8 3/8 Firestone Assy.	3/8 NPT	71	152	222	203	970 Kg
AB 0140	D8.6 3/8 Firestone Assy.	3/8 NPT	76	178	254	219	1135 Kg
AB 0141	D8.6 1/4 Firestone Assy.	1/4 NPT	76	178	254	219	1135 Kg
AB 0142	D8.6 1/2 Firestone Assy.	1/2 NPT	76	178	254	219	1135 Kg
AB 0150	D9.9 1/4 Firestone Assy.	1/4 NPT	107	178	280	252	1500 Kg

AIR PRESSURE REQUIREMENTS

Please note that air pressure will vary depending upon several factors such as load, road conditions, temperature and personal preference. Feel free to experiment with different air pressures to find the best ride for you and your vehicle. It is important thought to keep the air spring height within the ride height values as shown in the chart above. Air pressure in Coil-Rite kits are dependant upon vehicle application. Please consult the installation manual and bulletins for specifics.

TECH TIPS

**Note: Never operate the vehicle without minimum air pressure in the air springs
Failure to maintain proper air pressure will void all warranties.**

**Note: When raising the vehicle by the chassis, release the air pressure
from the system. This allows the air spring to fully extend.**